

efi user authentication | contents

13 January 2004

efi user authentication | page 1 - [left side]

efi user authentication | page 2 - [right side]

efi user authentication | other functionality

user authentication | workflow • page 1 - [left side]

13 January 2004

```
cws> server> user authentication>
webtools> configure> user authentication>
when? tbd.
```

EFI User Authentication | PDG-EX12

Enable User Authentication

Use LDAP Server

Connect Fierys

[Use LDAP Server]

Upon selecting "Use LDAP Server", system automatically picks up connected LDAP information. User chooses the "list view" icon to bring up window to allow user to select more LDAP server path(s). This window allows user to add a multiple of LDAP lists to the "Show users from" area.

User Authentication LDAP Server:

Use LDAPs:

efi_corp

Add LDAP:

LDAP:

efi_corp

efi_elf1

efi_MN

efi_UK

If admin/user does not have authorization for this particular LDAP, Login may appear.

EFI User Authentication | PDG-EX12

Enable User Authentication

Use LDAP Server

Connect Fierys

Show users from:

Fierly Address Book

Type name or select from user list:

name	username	
Andrea Juner	andreaaj	<input type="checkbox"/>
Art Abrantes	arthura	<input type="checkbox"/>
Beth Marx	bethm	<input type="checkbox"/>
Chris Yiu	chrisy	<input type="checkbox"/>
David Macy	davidmacy	<input type="checkbox"/>
David May	davidm	<input type="checkbox"/>
Fierly Scan	fieryscan	<input type="checkbox"/>
Joe Hardy	joehardy	<input type="checkbox"/>
Joe Schmo	joeschmo	<input type="checkbox"/>
Joe Smith	joes	<input type="checkbox"/>
Joe Young	joey	<input type="checkbox"/>
Nancy Dru	nancyd	<input type="checkbox"/>

Saved Settings:

(New)Unsaved

APPLYING A PREVIOUSLY SAVED SETTING WILL OVERRIDE CURRENT UNSAVED SETTING

name	username
Andrea Juner	andreaaj
Art Abrantes	arthura
Beth Marx	bethm

SUPER USER - DEFAULT - (Power User)


STANDARD USER - (Regular User)

- Allow access to hold queue.
- Allow access to print queue.
- Allow access to direct queue.
- Allow black and white printing only (color will be printed in black and white)
- Allow user to manage resources on server (for VDP and fonts).
- Allow user access to server for remote scanning and scan to mailbox.

Opens Fierly Discovery/cws login to connect another Fierly for user authentication. Opens separate window. Synch the two or more?

user authentication | workflow • page 2 - [right side]

13 January 2004



user authentication | other functionality

13 January 2004

EFI User Authentication | PDG-EX12

Enable User Authentication
 Use LDAP Server

Show users from:

Type name or select from user list:

name	username	
Andrea Juner	andreaaj	<input type="checkbox"/>
Art Abrantes	arthura	<input type="checkbox"/>
Beth Marx	bethm	<input checked="" type="checkbox"/>
Chris Yiu	chrisy	<input type="checkbox"/>
David Macy	davidmacy	<input type="checkbox"/>
David May	davidm	<input type="checkbox"/>
Fieri Scan	fieryscan	<input type="checkbox"/>
Joe Hardy	joehardy	<input type="checkbox"/>
Joe Schmo	joeschmo	<input type="checkbox"/>
Joe Smith	joes	<input type="checkbox"/>
Joe Young	joey	<input type="checkbox"/>
Nancy Dru	nancyd	<input type="checkbox"/>

Saved Settings:

APPLYING A PREVIOUSLY SAVED SETTING WILL
 OVERRIDE CURRENT UNSAVED SETTING

Authorized Users - Setting: "Unsaved"

name	username
Andrea Juner	andreaaj
Art Abrantes	arthura
Beth Marx	bethm

SUPER USER - DEFAULT - (Power User)

STANDARD USER - (Regular User)

- Allow access to hold queue.
- Allow access to print queue.
- Allow access to direct queue.
- Allow black and white printing only (color will be printed in black and white)
- Allow user to manage resources on server (for VDP and fonts).
- Allow user access to server for remote scanning and scan to mailbox.

Search using partial match.
 Finding is highlighted below.

User may select multiple names.

The names from the (new or saved) settings chosen here are detailed here.

"Save" is grayed out if no new additions or removals have been done.

EFI User Authentication | PDG-EX12

Enable User Authentication
 Use LDAP Server

Show users from:

Type name or select from user list:

name	username	
Andrea Juner	andreaaj	<input type="checkbox"/>
Art Abrantes	arthura	<input checked="" type="checkbox"/>
Beth Marx	bethm	<input type="checkbox"/>
Chris Yiu	chrisy	<input type="checkbox"/>
David Macy	davidmacy	<input type="checkbox"/>
David May	davidm	<input type="checkbox"/>
Fieri Scan	fieryscan	<input type="checkbox"/>
Joe Hardy	joehardy	<input type="checkbox"/>
Joe Schmo	joeschmo	<input type="checkbox"/>
Joe Smith	joes	<input type="checkbox"/>
Joe Young	joey	<input type="checkbox"/>
Nancy Dru	nancyd	<input type="checkbox"/>

Saved Settings:

APPLYING A PREVIOUSLY SAVED SETTING WILL
 OVERRIDE CURRENT UNSAVED SETTING

Authorized Users - Setting: "Unsaved"

name	username
Andrea Juner	andreaaj
Art Abrantes	arthura
Beth Marx	bethm

SUPER USER - DEFAULT - (Power User)

STANDARD USER - (Regular User)

- Allow access to hold queue.
- Allow access to print queue.
- Allow access to direct queue.
- Allow black and white printing only (color will be printed in black and white)
- Allow user to manage resources on server (for VDP and fonts).
- Allow user access to server for remote scanning and scan to mailbox.

Select one name at a time.
 Corresponding privileges appear here.